
COOPERATIVE EXTENSION SERVICE UNIVERSITY OF KENTUCKY COLLEGE OF AGRICULTURE LEXINGTON, KY, 40546 UNIVERSITY OF
KENTUCKY
College of Agriculture

FOR-1





Agriculture and Natural Resources Family and Consumer Sciences 4-H Youth Development Community and Economic Development



# 31. CHINKAPIN OAK

(Quercus muehlenbergii Englem.)

## Soil/Site

 prefers dry slopes in shallow soils from limestone origin

#### **Bark**

- ashy gray; flaky; shallowly fissured
- broken with irregular, squarish scales

## **Twigs**

- reddish to straw brown; slender; lenticellate
- initially hairy, becoming smooth

#### Buds

- 3/16" (0.5 cm) long; orangebrown; scales with gray margin
- sharp-pointed; smooth

#### **Flowers**

- 3" (7.5 cm) long; male—catkins; female—yellow flower spikes
- early spring

#### Fruit

- 3/5" (1.5 cm) long; dark brown to black; enclosed 1/3 by woolly cup
- autumn

#### Value

- · acorns for wildlife
- useful timber tree

## Leaves

#### size

• 4" to 6" (10.0 to 15.0 cm) long; 1 1/2" to 3 1/2" (3.8 to 8.8 cm) wide

#### arrangement

alternate; simple

# margin (edge)

 coarsely serrate (white oak group); each tooth bears a gland at the tip

#### lobes

none

# shape


oblong

# surface

 bright green, smooth above; pale green, smooth below

#### coloration

brown or red (autumn)



# 32. NORTHERN RED OAK

(Quercus rubra L.)

## Soil/Site

 best on moist, upland soils with good drainage

## Bark

- greenish brown, becoming black with age
- wide, flat ridges with deep black furrows (resemble ski tracks)

#### **Twias**

 reddish to greenish brown; moderately stout; smooth

#### Buds

- 1/4" (0.6 cm) long; dark reddish brown; shiny
- smooth to slightly pubescent; overlapping scales

## **Flowers**

 4" (10.0 cm) long; male—catkins; female—yellow flower spikes

#### Fruit

- 1" (2.5 cm) long; reddish brown; enclosed in a flat saucer-like cup; shiny
- autumn

## Value

- · acorns for wildlife
- · valuable timber and landscape tree

# Leaves

#### size

 5" to 9" (12.5 to 22.5 cm) long; 4" to 5" (10.0 to 12.5 cm) wide

#### arrangement

alternate; simple

# margin (edge)

• entire

#### lobes

 7 to 11 lobes with bristle tips (red oak group) pinnately arranged; sinuses cut 1/2 distance to midrib from edge

#### shape

lobed (oblong)

# surface

 shiny green, smooth above; dull green, smooth below

#### coloration

dark red (autumn)